BASICS OF CLIMATE CHANGE

SOUTH CENTRAL
CLIMATE ADAPTATION SCIENCE CENTER

THE CLIMATE UMBRELLA



WEATHER VS. CLIMATE



WEATHER VS. CLIMATE

Weather – **state of the atmosphere** with respect to heat or cold, wetness or dryness, calm or storm, clearness or cloudiness; **short-term**

Climate – **statistical collection of weather conditions** at a place over a period of years; **long-term**

“Climate is what you expect. Weather is what you get.”

CLIMATE VARIABILITY VS. CHANGE







REALLY LONG-TERM CLIMATE CHANGE

Shape of Earth's orbit changes over ~100,000 yrs



Wobble (precession) of Earth on its axis changes over ~22,000 yrs



Tilt of Earth's axis changes over ~41,000 yrs



NATURAL CAUSES OF CLIMATE CHANGE

External factors: (1) **luminosity** of sun (amount of incoming radiation), (2) Earth's **orbital mechanics** (tilt, precession, orbit shape) & (3) comet, meteorite, or asteroid **impact event**

Internal factors: (1) **plate tectonics** (location of land, weathering), (2) **ocean** temperatures & currents, & (3) natural changes in **atmospheric composition**





TEMPERATURE VS. LUMINOSITY OF SUN

Sun's energy output has been decreasing over past few decades

Energy from the sun cycles with sunspot activity (~11 yrs)



KEY POINTS

No single weather event (e.g., early autumn blizzard, December heat wave, landfalling hurricane) **is a sign of climate change**, but a **higher frequency** of certain events or trend toward **higher intensity events may be**.

There are natural drivers to climate change, but they typically **occur over 1000s to 100,000s of years**. Faster changes, like those that occur with volcanic eruptions, usually last only a few years and are part of climate variability, not climate change.

FROM THE 4TH NATIONAL CLIMATE ASSESSMENT (2017)

"Since NCA3 [Third National Climate Assessment], **stronger evidence has emerged for continuing, rapid, human-caused warming of the global atmosphere and ocean**. This report concludes that 'it is **extremely likely** that **human influence has been the dominant cause** of the observed warming since the mid-20th century. For the warming over the last century, **there is no convincing alternative explanation** supported by the extent of the observational evidence.'" – Climate Science Special Report

4TH NATIONAL CLIMATE ASSESSMENT (2018)





WHY ARE IPCC REPORTS IMPORTANT?

IPCC = Intergovernmental Panel on Climate Change

Rigorous & transparent review process focusing on climate change, its impacts, and our ability to adapt and mitigate

Main assessment reports **summarize almost 10,000 peer-reviewed scientific papers** in both an easy-to-read format (for policymakers) & in a detailed manner (for researchers)

Policy relevant but not policy prescriptive

REASONS FOR CONCERN

Aggregate impacts & damages

Risks of large-scale discontinuities & disruptions

Uneven distribution of climate change impacts

Risks of extreme weather events

Risks to unique & threatened systems

IPCC: GLOBAL WARMING OF 1.5°C (OCT. 2018)

Five Reasons For Concern (RFCs) illustrate the impacts and risks of different levels of global warming for people, economies and ecosystems across sectors and regions.

Impacts and risks associated with the Reasons for Concern (RFCs)



Purple indicates very high risks of severe impacts/risks and the presence of significant irreversibility or the persistence of climate-related hazards, combined with limited ability to adapt due to the nature of the hazard or impacts/risks.
Red indicates severe and widespread impacts/risks.
Yellow indicates that impacts/risks are detectable and attributable to climate change with at least medium confidence.
White indicates that no impacts are detectable and attributable to climate change.

IPCC 2018

KEY POINT

The **Intergovernmental Panel on Climate Change** (IPCC) reports and the **National Climate Assessment** (NCA) are the **two best sources** for expert assessments of climate change worldwide and across the United States.

Available at:

http://www.ipcc.ch (IPCC)

http://www.globalchange.gov (NCA)


The Greenhouse Effect
Some solar radiation is reflected by the Earth and the atmosphere.
Some of the infrared radiation passes through the atmosphere. Some is absorbed and re-emitted in all directions by greenhouse gas molecules. The effect of this is to warm the Earth's surface and the lower atmosphere.
Most radiation is absorbed by the Earth's surface and warms it.
Atmosphere
Earth's surface
Infrared radiation is emitted by the Earth's surface.


Natural
Greenhouse Effect
Human Enhanced
Greenhouse Effect
Sun
More heat escapes
into space
Less heat escapes
into space
Greenhouse Gas
CO_2 CH_4 N_2O
Solar Radiation
Solar Radiation
CO_2 CH_4 N_2O
More
Greenhouse
Gas
Less
re-emitted
heat
re-radiated
heat
Atmosphere
Atmosphere
re-radiated
heat
More
re-emitted
heat

WE'VE KNOWN THIS FACT FOR 160 YEARS

"The atmosphere admits of the entrance of the solar heat, but checks its exit; and the **result is a tendency to accumulate heat at the surface of the planet**." — John Tyndall, 1859

"**Doubling of CO_2 would raise surface temperature** by 5-6°C, or 9-11°F, above pre-industrial temperatures." — Svante Arrhenius,1896



THE
LONDON, EDINBURGH, AND DUBLIN
PHILOSOPHICAL MAGAZINE
AND
JOURNAL OF SCIENCE.

[FIFTH SERIES.]

APRIL 1896.

XXXI. *On the Influence of Carbonic Acid in the Air upon the Temperature of the Ground.* By Prof. SVANTE ARRHENIUS*.

1. *Introduction: Observations of* Langley *on Atmospherical Absorption.*

KEY POINT

Greenhouse gases are necessary for Earth to be livable, **but adding too much into the atmosphere will disrupt** the long-term energy balance, **increasing the thermal energy** in the atmosphere.

CLIMATE CHANGE NOT FROM OZONE HOLE

Greenhouse gases selectively absorb infrared energy & convert it to heat energy to **warm troposphere** (surface to 12 miles)

Ozone selectively absorbs ultraviolet energy & converts it to heat energy to **warm stratosphere** (13 to 30 miles above surface)



ANTARCTIC OZONE HOLE (2018 & PAST)





Data from NASA's Aura satellite

IMPACT OF MONTREAL PROTOCOL



NASA says ozone hole stabilizing but won't fully recover until 2070

December 12, 2013 | By Tony Barboza

Email Share 8+1 38 Tweet 0

Los Angeles Times

The hole in the ozone layer is stabilizing but will take until about 2070 to fully recover, according to new research by NASA scientists.

The assessment comes more than two decades after the Montreal Protocol, the international treaty that banned chlorofluorocarbons and other compounds that deplete the ozone layer, which shields the planet from harmful ultraviolet rays.



The ozone hole, shown in October, has stopped growing since the mid-1990s,... (Ozone Hole Watch)

KEY POINTS

The **ozone holes** at the North and South Poles **are NOT related to climate change!!**

Because of international cooperation, the **ozone layer is healing** and projected to **recover by 2070**

GLOBAL CARBON DIOXIDE BUDGET



Data: CDIAC/NOAA-ESRL/GCP



GREENHOUSE GASES INCREASING

Significant increases in carbon dioxide, methane, & nitrous oxide observed since the industrial revolution



OBSERVATIONS OF CARBON DIOXIDE (CO_2)

Charles Keeling first measured CO_2 at the Mauna Loa Observatory, leading the scientific community to notice the human contribution to the greenhouse effect



GREENHOUSE GAS EMISSIONS BY GAS



Largest contributor is CO_2 from fossil fuel use



KEY POINT

Greenhouse gases have been increasing at an abnormally fast rate, primarily as a result of human activity (i.e., fossil fuel use, deforestation, agriculture, etc.). Our oceans and ecosystems cannot absorb CO_2 quickly enough to keep up. Except for water vapor, **these greenhouse gases are long-lived** and will remain in our atmosphere for decades.



Skeptical Science

TECHNIQUES TO OBSERVE THE CLIMATE



Creative Commons



USGS

Kathy Krucker

Nat'l Park Service

Carlye Calvin

OBSERVATIONAL EVIDENCE FOR A WARMING CLIMATE



IPCC AR5



Data source: Berkeley Earth daily TAVG full dataset (experimental)
Global land-surface temperature anomaly
Base period: 1880-1920
https://berkeleyearth.org/

SURFACE AIR TEMPERATURE OBSERVATIONS

Globally, the past three decades have been successively warmer, on average, than the prior decades. Multi-decadal warming is superimposed on decadal and interannual variability from natural climate patterns.



CLIMATE CHANGE IMPACTS ARE REGIONAL

For example, surface temperature changes are not uniform

Surface Temperature Change



Change in Temperature (ºF)

−1.5 −1.0 −0.5 0.0 0.5 1.0 1.5 2.0 2.5 3.0

NCA4, Vol 1

Annual Temperature



Winter Temperature



Summer Temperature



NCA4, Vol 1

REGIONAL CHANGES HAVE CAUSES





CLIMATE CHANGE IMPACTS ARE REGIONAL

Precipitation & sea-level rise changes are not uniform





NCA4, Vol 1

RAPID DECLINE OF ARCTIC SEA ICE



MOUNTAIN GLACIAL RETREAT



Okpilak Glacier 1907



Okpilak Glacier 2004

National Snow and Ice Data Center

AS OCEANS ABSORB CO_2, THEY BECOME MORE ACIDIC





NCA 2014; modified from Feely et al. 2009

WARMING OCEANS BLEACH CORALS

NOAA

Coral reefs endangered by bleaching in global event, researchers say

By Adam Dunnakey, CNN

Updated 1:06 PM ET, Thu October 8, 2015



WARMER WATER + MELTING GLACIERS = SEA-LEVEL RISE



MANY OTHER CLIMATE CHANGE-RELATED CHANGES



KEY POINTS

Historical observations demonstrate **rapid (decadal) climate changes** in surface temperature, sea ice, mountain glaciers, sea level, and other parts of our climate system.

These changes **are all consistent with a warming planet** resulting from increased greenhouse gases.

The changes **are not consistent with long-term natural variations** in our climate.

GLOBAL CLIMATE MODEL (GCM)



Models based on physical laws and statistical representations of observations

Provides reasonable description of physical changes, not detailed predictions

REAL VS. COMPUTED CLIMATE



Multi-Satellite Image Animation

Global Climate Model Simulation

USING GLOBAL CLIMATE MODELS

Using computer models from 20 climate modeling groups worldwide, global climate models that include both natural forcing and forcing from human activities best relate to the actual observations



IPCC AR5

FUTURE SCENARIOS IN IPCC & NCA

Several scenarios are used to depict how greenhouse gas (GHG) emissions may change in the future.

RCP 8.5 – GHG emissions continue to increase ("business as usual")

RCP 6 – GHG emissions stabilized around 2100 using various technologies & reduction strategies

RCP 4.5 – similar to RCP 6 but with a lower stabilization target

RCP 2.6 – a "peak-and-decline" scenario where GHG emissions are reduced significantly over time



PROJECTED CHANGES IN AVERAGE ANNUAL TEMPERATURE

Lower Scenario (RCP4.5)



Higher Scenario (RCP8.5)



Change in Temperature (°F)

2 4 6 8 10 12 14 16 18

Projections for the late 21st century relative to 1976–2005

NCA4, Vol 1

PROJECTED CHANGES IN SEASONAL PRECIPITATION



Projections for the late 21st century relative to 1976–2005

NCA4, Vol 1

KEY POINTS

General trends over time and large-scale regional patterns **can be projected** using numerical climate models.

These **climate models have satisfactorily depicted changes** in the past.

Model results depicting future **changes in temperatures are more certain** than results depicting future changes in precipitation.

“DOWNSCALING” THE GCM OUTPUT

What is downscaling? – a method to use “low resolution” global climate model output (e.g., 100-500 km grid) & obtain “high resolution” (e.g., 10-50 km grid) climate projections



USGCRP NCA 2018

WHY DOWNSCALE?

Climate scientists downscale GCM data **to help answer stakeholders' questions** about how the climate will change in their location (i.e., impact assessments) & better represent local climates

Mountain climates

Coastal climates

Urban-rural climates

ENSEMBLE APPROACH TO DOWNSCALING

Each gray line represents multiple scenarios

Each dotted line represents multiple GCMs & scenarios



ENSEMBLE APPROACH TO DOWNSCALING

Each gray line represents multiple scenarios

Each dotted line represents multiple GCMs & scenarios



QUESTIONS?